



**TECHNICAL INFORMATION**

1. BEARING LUBRICATION DE: CHEVRON SRI  
ODE: CHEVRON SRI
2. BEARING TYPE DE: NU328C3  
ODE: 6320C3
3. WINDING TEMP. DETECTORS  
NUMBER AND TYPE: N/A  
LOCATION: \_\_\_\_\_
4. BEARING TEMP. DETECTORS  
NUMBER AND TYPE: N/A
5. SPACE HEATER \_\_\_\_\_PHASE  
VOLTS: \_\_\_\_\_ WATTS: \_\_\_\_\_
6. ROTATION: CCW VIEWED FROM NON DRIVE END  
THIS MOTOR IS BI DIRECTIONAL
7. MOTOR PAINT COLOR: GRAY
8. APPROX. WEIGHT: 5700 lbs.
9. ACCESORIES:

DRAWING LIST				
MAIN TERMINAL BOX 130P-7622-55				
AUX TERMINAL BOX FOR SPACE HEATER				
R.T.D.	N/A			
THERMISTOR	N/A			
PRODUCTION #	N/A	0	FIRST ISSUE	CA 11/15/04
UNITS:	INCHES	NO.	REVISION	BY DATE

**MOTOR OUTLINE FOR  
THREE PHASE INDUCTION MOTOR**

CUSTOMER NAME				P.O. NO.	MOTOR TAG NO.	
OUTPUT HP	POLE	VOLTAGE V	FREQUENCY Hz	FULL LOAD SPEED (min <sup>-1</sup> )	TOSHIBA MODEL NO.	
TYPE	FORM	INS. CLASS	RATING	FRAME 5810UZ	S.F.	ENCLOSURE TEFC QRY
TOSHIBA INTERNATIONAL CORPORATION HOUSTON, TEXAS U.S.A.						
3rd ANGLE PROJ.	PREPARED BY: C. Alvarado	DATE: 11/15/04	CHECKED BY:	DATE: 11/15/04	DRAWING NO.: P-127734	REV. 0