



UNITS: INCHES

FRAME SIZE	MOUNTING				FLANGE						
	E	2F	H	BA	AJ	AK	BB	BC	BD	BF TAP	BV
364TC/364TSC	7.00	11.25	0.66	5.88	11.000	12.50	0.25	0.25	14.00	5/8"-11UNC	11.135
365TC/365TSC	7.00	12.25	0.66	5.88	11.000	12.50	0.25	0.25	14.00	5/8"-11UNC	11.625

FRAME SIZE	MOTOR DIMENSIONS									CONDUIT BOX						
	A	B	C	D	G	J	O	T	P	AA	AB	AC	AE	AF	XL	XN
364TC	16.40	14.40	32.54	9.00	0.93	3.15	18.4	2.9	19.3	3.58	17.32	12.8	12.1	6.3	---	---
364TSC	16.40	14.40	30.41	9.00	0.93	3.15	18.4	2.9	19.3	3.58	17.32	12.8	12.1	6.3	---	---
365TC	16.40	15.40	33.52	9.00	0.93	3.15	18.4	2.9	19.3	3.58	17.32	12.8	12.1	6.3	---	---
365TSC	16.40	15.40	31.39	9.00	0.93	3.15	18.4	2.9	19.3	3.58	17.32	12.8	12.1	6.3	---	---

FRAME SIZE	SHAFT EXTENSION				KEY SEAT			BEARINGS		MAXIMUM WEIGHT
	AH	N-W	V	U	R	S	ES	LS	OS	
364TC/365TC	5.62	5.88	5.75	2.375	2.021	0.625	4.28	NU215	6312	580 lbs.
365TSC/365TSC	3.50	3.75	3.50	1.875	1.591	0.500	2.03	6312C3	6312C3	610 lbs.

- NOTES:
1. DIMENSION V REPRESENTS LENGTH OF STRAIGHT PART OF SHAFT.
 2. CONDUIT BOX MAY BE ROTATED IN 90° INCREMENTS AND MAY BE MOUNTED ON OPPOSITE SIDE ON SPECIAL ORDER.
 3. "T" KEY DIMENSIONS EQUAL S x S x 4.25
"TS" KEY DIMENSIONS EQUAL S x S x 2.01 (MOTOR SUPPLIED WITH KEY)
 4. MOTOR WEIGHT SHOWN IS MAXIMUM HORSEPOWER IN FRAME.

ALL DATA SUBJECT TO CHANGE WITHOUT NOTICE FOR CONSTRUCTION USE ONLY CERTIFIED DATA

CERTIFIED DATA

CUSTOMER: _____ P.O. NO.: _____ TAG NO.: _____
 MOTOR MODEL NO.: _____ TOSHIBA FILE NO.: _____
 HP: _____ RPM (SYN.): _____ VOLTAGE: _____ Hz: _____
 FRAME SIZE: _____ LOG NO.: _____ LOG REV. LEVEL: _____
 REMARKS: _____
 PER: _____ ISSUE DATE: _____ SUPERSEDES: _____

TOSHIBA/HOUSTON	
TOTALLY-ENCLOSED FAN-COOLED FOOT-MOUNTED WITH C-FACE FLANGE Fr. 364TC-365TC Fr. 364TSC-365TSC	
SAS000921	