



TECHNICAL INFORMATION

1. BEARING LUBRICATION DE: CHEVRON SRI
ODE: CHEVRON SRI
2. BEARING TYPE DE: NU328C3
ODE: 6320C3
3. WINDING TEMP. DETECTORS
NUMBER AND TYPE: N/A
LOCATION: _____
4. BEARING TEMP. DETECTORS
NUMBER AND TYPE: N/A
5. SPACE HEATER _____PHASE
VOLTS: _____ WATTS: _____
6. ROTATION: CCW VIEWED FROM NON DRIVE END
THIS MOTOR IS BI DIRECTIONAL
7. MOTOR PAINT COLOR: GRAY
8. APPROX. WEIGHT: 5700 lbs.
9. ACCESORIES:

DRAWING LIST				
MAIN TERMINAL BOX 130P-7622-55				
AUX TERMINAL BOX FOR SPACE HEATER				
R.T.D.	N/A			
THERMISTOR	N/A			
PRODUCTION #	N/A	0	FIRST ISSUE	CA 11/15/04
UNITS:	INCHES	NO.	REVISION	BY DATE

**MOTOR OUTLINE FOR
THREE PHASE INDUCTION MOTOR**

CUSTOMER NAME				P.O. NO.	MOTOR TAG NO.	
OUTPUT HP	POLE	VOLTAGE V	FREQUENCY Hz	FULL LOAD SPEED (min ⁻¹)	TOSHIBA MODEL NO.	
TYPE	FORM	INS. CLASS	RATING	FRAME 5810UZ	S.F.	ENCLOSURE TEFC QRY
TOSHIBA INTERNATIONAL CORPORATION HOUSTON, TEXAS U.S.A.						
3rd ANGLE PROJ.	PREPARED BY: C. Alvarado	DATE: 11/15/04	CHECKED BY:	DATE: 11/15/04	DRAWING NO.: P-127734	REV. 0